International Journal of Cosmetic Science **21**, 450 (1999)

Author index

Ahn, H.-J.,207
Alfaro, M. de J., 151
Andre-Frei, V., 299
Arsić, I., 219
Augustin, C., 299

Barlow, T., 425
Benali, H., 107
Berry, N., 241
Bittoun, J., 107
Bordat, P., 299
Both, W., 253
Breuer, M., 167
Brown, A.M.G., 437
Burnod, Y., 107
Burt, D.M., 159

Cartiaux, Y., 59
Cavazza, A., 265
Chavardes, V., 413
Charmeil, C., 241
Cho, J.-J., 71
Choi, J.-D., 71, 275, 285
Choi, K.-Y., 207
Cogliandro, E., 265
Corcuff, P., 241
Corradini, C., 265

Damour, O., 299
Desai, D., 313
Diembeck, W., 399
DeClermont-Gallerande, H., 413
Diffey, B., 341
Dorato, S., 199
Duval, C., 51

Egawa, M., 83
Ertel, K.D., 383
Esumi, K., 23

Förster, Th., 253, 299
Freitas, Z.M., 1

Garcia, S., 1
Gaudion, P., 107
Gazano, G., 107
Gers-Barlag, H., 399
Girard, P., 241
Goujon, C., 241

Hartwig, P.M., 383
Hanamizu, T., 23
Hawkins, S.S., 159
Hiraki, Y., 23
Hohenberg, H., 399
Hölzle, E., 399
Hur, C.-W., 41

Ibric, S., 119
Ichioka, M., 23

Jacquin, J., 107
Jassoy, C., 253
Jeong, H.-J., 41
Jolivet, O., 107

Kang, S.-H., 207
Keswick, B.H., 383
Kim, J.-H., 71
Kim, J.-W., 41
Kislalioglu, S., 167
Kohno, Y., 83
Kondo-Yanai, N., 23
Kumano, Y., 83

Lee, I.-S., 207
Lee, K.-K., 71, 275, 285
Lee, M.-H., 41

Mariani, E., 199
Mendelsohn, R., 353
Milić, J., 7
Milic-Askrabic, J., 119
Milutinović, R., 7
Mohen-Domenech, O., 107
Montastier, C., 241
Moore, D.J., 353
Murahata, R.I., 159

Neuhoff, C., 199
Neumann, P.B., 383
Nicoletti, I., 265

Padilla, F.C., 151
Paye, M., 59
Pérez de R., M.N., 151
Pecmezci, E., 371
Perrett, D.I., 159
Perrier, E., 299
Pflücker, F., 399
Pfeiffer, S., 399
Piérard, G.E., 15
Piérard-Franchimont, C., 15

Querleux, B., 107

Rains, G.Y., 383
Regnier, M., 51
Rerek, M.E., 353
Ro, K.-W., 41
Rowland, D.A., 159

Saito, Y., 189
Sakr, A., 371
Santos, E.P., 1
Sato, T., 189
Schmidt, R., 51
Schmucker-Castner, J., 313
Schumann, K., 299
Seo, S.-Y., 207
Shin, H.-Y., 207
Silvy, A., 241
Simovic, S., 119
Smith, W.P., 33
Smith, W., 99
Sone, T., 23
Souza, K.R., 1
Stajković, N., 7
Stokes, R., 341
Stupar, M., 119
Swift, J.A., 227

Tanemura, I., 189
Turkoglu, M., 371

Ueda, H., 189

Vergnanini, A., 1
Vidovic, S., 219
Villa, C., 199
Vuleta, G., 7, 119, 219

Waldmann-Laue, M., 253, 299
Wang, S., 167
Wenck, H., 399
Wepf, R., 399
Wiechers, J.W., 425
Wilkinson, J.A., 437
Will, T., 399
Wis-Surel, G.M., 327

Yokokura, T., 23
Yoshikawa, S., 23

Zastrow, L., 413

0142–5463 © 1999 *International Journal of Cosmetic Science*

International Journal of Cosmetic Science **21**, 450 (1999)

Author index

Ahn, H.-J.,207
Alfaro, M. de J., 151
Andre-Frei, V., 299
Arsić, I., 219
Augustin, C., 299

Barlow, T., 425
Benali, H., 107
Berry, N., 241
Bittoun, J., 107
Bordat, P., 299
Both, W., 253
Breuer, M., 167
Brown, A.M.G., 437
Burnod, Y., 107
Burt, D.M., 159

Cartiaux, Y., 59
Cavazza, A., 265
Chavardes, V., 413
Charmeil, C., 241
Cho, J.-J., 71
Choi, J.-D., 71, 275, 285
Choi, K.-Y., 207
Cogliandro, E., 265
Corcuff, P., 241
Corradini, C., 265

Damour, O., 299
Desai, D., 313
Diembeck, W., 399
DeClermont-Gallerande, H., 413
Diffey, B., 341
Dorato, S., 199
Duval, C., 51

Egawa, M., 83
Ertel, K.D., 383
Esumi, K., 23

Förster, Th., 253, 299
Freitas, Z.M., 1

Garcia, S., 1
Gaudion, P., 107
Gazano, G., 107
Gers-Barlag, H., 399
Girard, P., 241
Goujon, C., 241

Hartwig, P.M., 383
Hanamizu, T., 23
Hawkins, S.S., 159
Hiraki, Y., 23
Hohenberg, H., 399
Hölzle, E., 399
Hur, C.-W., 41

Ibric, S., 119
Ichioka, M., 23

Jacquin, J., 107
Jassoy, C., 253
Jeong, H.-J., 41
Jolivet, O., 107

Kang, S.-H., 207
Keswick, B.H., 383
Kim, J.-H., 71
Kim, J.-W., 41
Kislalioglu, S., 167
Kohno, Y., 83
Kondo-Yanai, N., 23
Kumano, Y., 83

Lee, I.-S., 207
Lee, K.-K., 71, 275, 285
Lee, M.-H., 41

Mariani, E., 199
Mendelsohn, R., 353
Milić, J., 7
Milic-Askrabic, J., 119
Milutinović, R., 7
Mohen-Domenech, O., 107
Montastier, C., 241
Moore, D.J., 353
Murahata, R.I., 159

Neuhoff, C., 199
Neumann, P.B., 383
Nicoletti, I., 265

Padilla, F.C., 151
Paye, M., 59
Pérez de R., M.N., 151
Pecmezci, E., 371
Perrett, D.I., 159
Perrier, E., 299
Pflücker, F., 399
Pfeiffer, S., 399
Piérard, G.E., 15
Piérard-Franchimont, C., 15

Querleux, B., 107

Rains, G.Y., 383
Regnier, M., 51
Rerek, M.E., 353
Ro, K.-W., 41
Rowland, D.A., 159

Saito, Y., 189
Sakr, A., 371
Santos, E.P., 1
Sato, T., 189
Schmidt, R., 51
Schmucker-Castner, J., 313
Schumann, K., 299
Seo, S.-Y., 207
Shin, H.-Y., 207
Silvy, A., 241
Simovic, S., 119
Smith, W.P., 33
Smith, W., 99
Sone, T., 23
Souza, K.R., 1
Stajković, N., 7
Stokes, R., 341
Stupar, M., 119
Swift, J.A., 227

Tanemura, I., 189
Turkoglu, M., 371

Ueda, H., 189

Vergnanini, A., 1
Vidovic, S., 219
Villa, C., 199
Vuleta, G., 7, 119, 219

Waldmann-Laue, M., 253, 299
Wang, S., 167
Wenck, H., 399
Wepf, R., 399
Wiechers, J.W., 425
Wilkinson, J.A., 437
Will, T., 399
Wis-Surel, G.M., 327

Yokokura, T., 23
Yoshikawa, S., 23

Zastrow, L., 413

0142–5463 © 1999 *International Journal of Cosmetic Science*

International Journal of Cosmetic Science **21**, 451 (1999)

Subject index

2-ethoxyethanol: cosmetics; derivatization; HPLC; 199
2-hydroxypropyl-β-cyclodextrin; fragrance materials: release profile; stability profile; 189
α-hydroxy acids; cosmetic products: HPLC determination; 265

Acrylates/C10–30 alkyl acrylate crosspolymer: carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; two-part hair color; 313
Alkalinity: colour measurement; colour prediction; oxidation hair colour; permanent; pH; 327
Anti-aging:*areca catechu*; collagen synthesis; elastase; inhibition; 285
Antimelanogenesis: antioxidative activity; *areca catechu*; free radical scavenging; hyaluronidase; tyrosinase; 275
Antioxidants: cigarette smoke; CL-HPLC; oxidation; ultraweak chemiluminescence; 83
Antioxidative activity: antimelanogenesis; *areca catechu*; free radical scavenging; hyaluronidase; tyrosinase; 275
Antioxidative activity: elastase; hyaluronidase; inhibition; plant extracts; 71
Areca catechu: anti-aging; collagen synthesis; elastase; inhibition; 285
Areca catechu: antimelanogenesis; antioxidative activity; free radical scavenging; hyaluronidase; tyrosinase; 275
Ascorbic acid: lactic acid L(+) form; skin whitening; 33

Biological efficiency: *N,N*-diethyl-*m*-toluamide; pharmokinetic parameters; release; repellant preparations; 7
Brain imaging: functional MRI; human skin; somatosensory cortex; tactile stimulation; 107
Breakage: electron microscope; fatigue; hair structure; keratin fibre; SEM; shear stress; strength; TEM; 227

Carbomer: acrylates/C10–30 alkyl acrylate crosspolymer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; two-part hair color; 313
Caricaturing: facial averaging; healthy glow; 159
Cariodendron orinocense: cosmetic formulations; fatty acid profile; nuez de Barinas; UV spectrum; 151
Ceramides: domains; FTIR; lipids; skin barrier; stratum corneum; 353
Cholecalciferol: gas chromatography-mass spectrometry; panthenol; SIM lode; silylation; tocopherol; 41
Cigarette smoke: antioxidants; CL-HPLC; oxidation; ultraweak chemiluminescence; 83
CL-HPLC: antioxidants; cigarette smoke; oxidation; ultraweak chemiluminescence; 83
Collagen synthesis: anti-aging; areca *catechu*; elastase; inhibition; 285
Colour measurement: alkalinity; colour prediction; oxidation hair colour; permanent; pH; 327
Colour prediction: alkalinity; colour measurement; oxidation hair colour; permanent; pH; 327
Corneometer: corneosomes; lipids; TEWL; xerosis; 241
Corneosomes: corneometer; lipids; TEWL; xerosis; 241
Cosmetic formulations: *Cariodendron orinocense*; fatty acid profile; nuez de Barinas; UV spectrum; 151
Cosmetic product: irritation; mildness; patch test; skin; Squamometry; stratum corneum; surfactant; 59
Cosmetic products: α-hydroxy acids; HPLC determination; 265
Cosmetics: 2-ethoxyethanol; derivatization; HPLC; 199
Cross-linked polyacrylic acid: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; hair bleach; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; two-part hair color; 313

Derivatization: 2-ethoxyethanol; cosmetics; HPLC; 199
Domains: ceramides; FTIR; lipids; skin barrier; stratum corneum; 353

Elastase: anti-aging; *areca catechu*; collagen synthesis; inhibition; 285
Elastase: antioxidative activity; hyaluronidase; inhibition; plant extracts; 71
Electron microscope: Breakage; fatigue; hair structure; keratin fibre; SEM; shear stress; strength; TEM; 227
Emulsion: lipoprotein; oil-in-water; rheology; skin compatibility; skin pliability; 253

0142–5463 © 1999 *International Journal of Cosmetic Science*

Extracellular matrix synthesis: *in vivo* study; peptide; skin equivalent model; 299

Facial averaging: caricaturing; healthy glow; 159
Factorial design: o/w emulsions; physical stability; polymeric emulsifier; processing variables; viscosity; 119
Fatigue; Breakage: electron microscope; hair structure; keratin fibre; SEM; shear stress; strength; TEM; 227
Fatty acid profile: *Cariodendron orinocense*; cosmetic formulations; nuez de Barinas; UV spectrum; 151
Fragrance materials: 2-hydroxypropyl-β-cyclodextrin; release profile; stability profile; 189
Free radical scavenging: antimelanogenesis; antioxidative activity; *areca catechu*; hyaluronidase; tyrosinase; 275
Freeze substitution method: Scanning Electron Microscope (SEM); sweating in lipstick; wax matrix; 207
FTIR: ceramides; domains; lipids; skin barrier; stratum corneum; 353
Functional MRI: brain imaging; human skin; somatosensory cortex; tactile stimulation; 107

Gas chromatography-mass spectrometry: cholecalciferol; panthenol; SIM lode; silylation; tocopherol; 41

Hair bleach: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; two-part hair color; 313
Hair structure: Breakage; electron microscope; fatigue; keratin fibre; SEM; shear stress; strength; TEM; 227
Hair: season; sun; telogen effluvium; trichogram; 15
Healthy glow: caricaturing; facial averaging; 159
HPLC determination: α-hydroxy acids; cosmetic products; 265
HPLC: 2-ethoxyethanol; cosmetics; derivatization; 199
Human epidermis: photostability; sunscreens; 341
Human skin: brain imaging; functional MRI; somatosensory cortex; tactile stimulation; 107
Hyaluronidase: antimelanogenesis; antioxidative activity; *areca catechu*; free radical scavenging; tyrosinase; 275
Hyaluronidase: antioxidative activity; elastase; inhibition; plant extracts; 71
Hydrogel: lecithin; liposomes; stability; vitamin A; 219
Hydrogen peroxide gels: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; two-part hair color; 313
Hydrogen peroxide stability: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide gels; rheology modification; thickened hydrogen peroxide; two-part hair color; 313
Hydrogen peroxide: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; two-part hair color; 313

Inhibition: anti-aging; *areca catechu*; collagen synthesis; elastase; 285
Inhibition: antioxidative activity; elastase; hyaluronidase; plant extracts; 71
***In vitro* and *in vivo* determinations of SPF:** octyl methoxycinnamate; solar radiation on skin; spectrophotometric method:, sun protection factors (SPF); sunscreen lotions; 1
***In vivo* study:** extracellular matrix synthesis; peptide; skin equivalent model; 299
Irritation: cosmetic product; mildness; patch test; skin; Squamometry; stratum corneum; surfactant; 59

Keratin fibre: Breakage; electron microscope; fatigue; hair structure; SEM; shear stress; strength; TEM; 227
Keratinocytes: Langerhans cells; melanocytes; reconstructed epidermis; 51

Lactic acid L(+) form: ascorbic acid; skin whitening; 33
Lactic acid: retinoids; skin aging; trans-epidermal water loss; 99
Lamellar structure: monglyceride; poly(vinylpyrrolidone); vesicle; water content of stratum corneum; 23
Langerhans cells: keratinocytes; melanocytes; reconstructed epidermis; 51
Lecithin: hydrogel; liposomes; stability; vitamin A; 219
Lipids: ceramides; domains; FTIR; skin barrier; stratum corneum; 353
Lipids: corneometer; corneosomes; TEWL; xerosis; 241
Lipoprotein: emulsion; oil-in-water; rheology; skin compatibility; skin pliability; 253
Liposomes: hydrogel; lecithin; stability; vitamin A; 219

Melanocytes: keratinocytes; Langerhans cells; reconstructed epidermis; 51

Mildness: cosmetic product; irritation; patch test; skin; Squamometry; stratum corneum; surfactant; 59
Moisturizing efficacy: polymeric ingredient; rheological properties; 167
Monglyceride: lamellar structure; poly(vinylpyrrolidone); vesicle; water content of stratum corneum; 23

***N,N*-diethyl-*m*-toluamide:** Biological efficiency; pharmokinetic parameters; release; repellant preparations; 7
Nuez de Barinas: *Cariodendron orinocense*; cosmetic formulations; fatty acid profile; UV spectrum; 151

o/w emulsions: factorial design; physical stability; polymeric emulsifier; processing variables; viscosity; 119
Octyl methoxycinnamate: *in vitro* and *in vivo* determinations of SPF; solar radiation on skin; spectrophotometric method;sun protection factors (SPF); sunscreen lotions; 1
Oil-in-water: emulsion; lipoprotein; rheology; skin compatibility; skin pliability; 253
Oxidation: antioxidants; cigarette smoke; CL-HPLC; ultraweak chemiluminescence; 83
Oxidation hair colour: alkalinity; colour measurement; colour prediction; permanent; pH; 327

Panthenol: cholecalciferol; gas chromatography-mass spectrometry; SIM lode; silylation; tocopherol; 41
Patch test: cosmetic product; irritation; mildness; skin; Squamometry; stratum corneum; surfactant; 59
Peptide: extracellular matrix synthesis; *in vivo* study; skin equivalent model; 299
Permanent: alkalinity; colour measurement; colour prediction; oxidation hair colour; pH; 327
pH: alkalinity; colour measurement; colour prediction; oxidation hair colour; permanent; 327
Pharmokinetic parameters: Biological efficiency; *N,N*-diethyl-*m*-toluamide; release; repellant preparations; 7
Photostability: human epidermis; sunscreens; 341
Physical stability: factorial design; o/w emulsions; polymeric emulsifier; processing variables; viscosity; 119
Plant extracts: antioxidative activity; elastase; hyaluronidase; inhibition; 71
Poly(vinylpyrrolidone): lamellar structure; monglyceride; vesicle; water content of stratum corneum; 23
Polymeric emulsifier: factorial design; o/w emulsions; physical stability; processing variables; viscosity; 119
Polymeric ingredient: moisturizing efficacy; rheological properties; 167
Processing variables: factorial design; o/w emulsions; physical stability; polymeric emulsifier; viscosity; 119

Reconstructed epidermis: keratinocytes; Langerhans cells; melanocytes; 51
Release profile: 2-hydroxypropyl-β-cyclodextrin; fragrance materials; stability profile; 189
Release: Biological efficiency; *N,N*-diethyl-*m*-toluamide; pharmokinetic parameters; repellant preparations; 7
Repellant preparations: Biological efficiency; *N,N*-diethyl-*m*-toluamide; pharmokinetic parameters; release; 7
Retinoids: lactic acid; skin aging; trans-epidermal water loss; 99
Rheological properties: moisturizing efficacy; polymeric ingredient; 167
Rheology modification: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; thickened hydrogen peroxide; two-part hair color; 313
Rheology: emulsion; lipoprotein; oil-in-water; skin compatibility; skin pliability; 253

Scanning Electron Microscope (SEM): freeze substitution method; sweating in lipstick; wax matrix; 207
Season:hair; sun; telogen effluvium; trichogram; 15
SEM; Breakage: electron microscope; fatigue; hair structure; keratin fibre; shear stress; strength; TEM; 227
Shear stress: Breakage; electron microscope; fatigue; hair structure; keratin fibre; SEM; strength; TEM; 227
Silylation: cholecalciferol; gas chromatography-mass spectrometry; panthenol; SIM lode; tocopherol; 41
SIM lode: cholecalciferol; gas chromatography-mass spectrometry; panthenol; silylation; tocopherol; 41
Skin aging: lactic acid; retinoids; trans-epidermal water loss; 99
Skin barrier: ceramides; domains; FTIR; lipids; stratum corneum; 353
Skin compatibility: emulsion; lipoprotein; oil-in-water; rheology; skin pliability; 253
Skin equivalent model: extracellular matrix synthesis; *in vivo* study; peptide; 299
Skin pliability: emulsion; lipoprotein; oil-in-water; rheology; skin compatibility; 253
Skin whitening: ascorbic acid; lactic acid L(+) form; 33

Skin: cosmetic product; irritation; mildness; patch test; Squamometry; stratum corneum; surfactant; 59
Solar radiation on skin: *in vitro* and *in vivo* determinations of SPF; octyl methoxycinnamate; spectrophotometric method, sun protection factors (SPF); sunscreen lotions; 1
Somatosensory cortex: brain imaging; functional MRI; human skin; tactile stimulation; 107
Spectrophotometric method: *in vitro* and *in vivo* determinations of SPF; octyl methoxycinnamate; solar radiation on skin; sun protection factors (SPF); sunscreen lotions; 1
Squamometry: cosmetic product; irritation; mildness; patch test; skin; stratum corneum; surfactant; 59
Stability profile: 2-hydroxypropyl-[]-cyclodextrin; fragrance materials; release profile; 189
Stability: hydrogel; lecithin; liposomes; vitamin A; 219
Stratum corneum: ceramides; domains; FTIR; lipids; skin barrier; 353
Stratum corneum: cosmetic product; irritation; mildness; patch test; skin; Squamometry; surfactant; 59
Strength: Breakage; electron microscope; fatigue; hair structure; keratin fibre; SEM; shear stress; TEM; 227
Sun protection factors (SPF): *in vitro* and *in vivo* determinations of SPF; octyl methoxycinnamate; solar radiation on skin; spectrophotometric method; sunscreen lotions; 1
Sun: hair; season; telogen effluvium; trichogram; 15
Sunscreen lotions: *in vitro* and *in vivo* determinations of SPF; octyl methoxycinnamate; solar radiation on skin; spectrophotometric method; sun protection factors (SPF); 1
Sunscreens: human epidermis; photostability; 341
Surfactant: cosmetic product; irritation; mildness; patch test; skin; Squamometry; stratum corneum; 59
Sweating in lipstick: freeze substitution method; Scanning Electron Microscope (SEM); wax matrix; 207

Tactile stimulation: brain imaging; functional MRI; human skin; somatosensory cortex; 107
Telogen effluvium: hair; season; sun; trichogram; 15
TEM: Breakage; electron microscope; fatigue; hair structure; keratin fibre; SEM; shear stress; strength; 227
TEWL: corneometer; corneosomes; lipids; xerosis; 241
Thickened hydrogen peroxide: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; two-part hair color; 313
Tocopherol: cholecalciferol; gas chromatography-mass spectrometry; panthenol; SIM lode; silylation; 41
Trans-epidermal water loss: lactic acid; retinoids; skin aging; 99
Trichogram: hair; season; sun; telogen effluvium; 15
Two-part hair color: acrylates/C10–30 alkyl acrylate crosspolymer; carbomer; cross-linked polyacrylic acid; hair bleach; hydrogen peroxide; hydrogen peroxide gels; hydrogen peroxide stability; rheology modification; thickened hydrogen peroxide; 313
Tyrosinase: antimelanogenesis; antioxidative activity; *areca catechu*; free radical scavenging; hyaluronidase; 275

Ultraweak chemiluminescence: antioxidants; cigarette smoke; CL-HPLC; oxidation; 83
UV spectrum: *Cariodendron orinocense*; cosmetic formulations; fatty acid profile; nuez de Barinas; 151

Vesicle: lamellar structure; monglyceride; poly(vinylpyrrolidone); water content of stratum corneum; 23
Viscosity: factorial design; o/w emulsions; physical stability; polymeric emulsifier; processing variables; 119
Vitamin A: hydrogel; lecithin; liposomes; stability; 219

Water content of stratum corneum: lamellar structure; monglyceride; poly(vinylpyrrolidone); vesicle; 23
Wax matrix: freeze substitution method; Scanning Electron Microscope (SEM); sweating in lipstick; 207

Xerosis: corneometer; corneosomes; lipids; TEWL; 241